NUURA

ANOLI 1 MEDIUM
nordic gold / gold

Design: Sofie Refer, 2018

ø4.1"

1.9"

max. 98.4"

15.2"

ø 7.5"

Anoli 1 Medium in mouth blown gold glass and nordic gold finish incl. ceiling plate.

Explore the rest of the Anoli collection on our website, here


Product no.:	US - 3013003	**Certifications:**	CE, UL componentry – not UL listed, IP20, Class I

Type:	Pendant - indoor
Colour:	Glass: gold / Metal: nordic gold
Materials:	Powder-coated metal, mouth-blown glass
	For custom metal finish contact Nuura **For custom glass finish contact Nuura**
Dimensions:	ø7.5in x 15.2in Cable length: max. 98.4in
Weight:	Armature + glass: 2.78lbs
Packaging:	Dimensions: L: 10.0in x W: 10.0in x H: 18.9in Weight: 2.03lbs Total weight incl. product: 4.81lbs Number of parcels: 1 Material: Brown cardboard

Cleaning:	Use a soft dry cloth to clean the product. Do not use household cleaners.
Light source:	Socket: E12 Max. wattage: 25W
Electrical:	120Vac / 60Hz

Light sources not included.

Dimmable if installed with appropriate dimmable LED light source(s) suitable for your dimmer circuit.

Works with appropriate lighting control module. Module can be added to delivery on request.

EU lighting calculation: click here

NUURA

ANOLI 1 SMALL
nordic gold / gold

Design: Sofie Refer, 2018

ø4.1"

1.9"

max. 98.4"

12.5"

ø6.3"

Anoli 1 Small in mouth blown opal glass and nordic gold finish incl. ceiling plate.

Explore the rest of the Anoli collection on our website, here

---

Product no.:	US - 3013001
Type:	Pendant - indoor
Colour:	Glass: gold / Metal: nordic gold
Materials:	Powder-coated metal, mouth-blown glass

For custom metal finish contact Nuura
For custom glass finish contact Nuura

Dimensions:	ø6.3in x 12.5in Cable length: max. 98.4in
Weight:	Armature + glass: 2.43lbs
Packaging:	Dimensions: L: 10.0in x W: 10.0in x H: 15.9in Weight: 1.54lbs Total weight incl. product: 3.97lbs Number of parcels: 1 Material: Brown cardboard

Certifications:	CE, UL componentry – not UL listed, IP20.
Cleaning:	Use a soft dry cloth to clean the product. Do not use household cleaners.
Light source:	Socket: E12 Max. wattage: 25W
Electrical:	120Vac / 60Hz Class I

Light sources not included.

**Dimmable if installed with appropriate dimmable LED
light source(s) suitable for your dimmer circuit.**

Works with appropriate lighting control module. Module can be added to delivery on request.

EU lighting calculation: click here