


# NUURA



**ANOLI 1 MEDIUM**  
**nordic gold / opal**

Design: Sofie Refer, 2018



**Anoli 1 Medium** in mouth blown opal white glass and nordic gold finish incl. ceiling plate.

Explore the rest of the Anoli collection on our website, [here](#)


<b>Product no.:</b>	US - 3013004	<b>Certifications:</b>	CE, UL componentry – not UL listed, IP20, Class I
<b>Type:</b>	Pendant - indoor	<b>Cleaning:</b>	Use a soft dry cloth to clean the product. Do not use household cleaners.
<b>Colour:</b>	Glass: opal / Metal: nordic gold	<b>Light source:</b>	Socket: G9 Max. wattage: 7W
<b>Materials:</b>	Powder-coated metal, mouth-blown glass	<b>Electrical:</b>	120Vac / 60Hz
<b>Dimensions:</b>	<p><b>For custom metal finish contact Nuura</b>  <b>For custom glass finish contact Nuura</b></p> <p>ø7.5in x 15.2in Cable length: max. 98.4in</p>	<b>Light sources not included.</b>	<b>Dimmable if installed with appropriate dimmable LED light source(s) suitable for your dimmer circuit.</b>
<b>Weight:</b>	Armature + glass: 2.78lbs	Works with appropriate lighting control module. Module can be added to delivery on request.	
<b>Packaging:</b>	Dimensions: L: 10.0in x W: 10.0in x H: 18.9in Weight: 2.03lbs Total weight incl. product: 4.81lbs Number of parcels: 1 Material: Brown cardboard	<b>EU lighting calculation: <a href="#">click here</a></b>	

# NUURA



**ANOLI 1 SMALL**  
**nordic gold / opal**

Design: Sofie Refer, 2018



**Anoli 1 Small** in mouth blown opal glass and nordic gold finish incl. ceiling plate.

Explore the rest of the Anoli collection on our website, [here](#)

<b>Product no.:</b>	US - 3013002	<b>Certifications:</b>	CE, UL componentry – not UL listed, IP20.
<b>Type:</b>	Pendant - indoor	<b>Cleaning:</b>	Use a soft dry cloth to clean the product. Do not use household cleaners.
<b>Colour:</b>	Glass: opal / Metal: nordic gold	<b>Light source:</b>	Socket: Socket: G9 Max. wattage: 7W
<b>Materials:</b>	Powder-coated metal, mouth-blown glass  <b>For custom metal finish contact Nuura</b> <b>For custom glass finish contact Nuura</b>	<b>Electrical:</b>	120Vac / 60Hz Class I
<b>Dimensions:</b>	ø6.3in x12.5in Cable length: max. 98.4in	<b>Light sources not included</b>	
<b>Weight:</b>	Armature + glass: 2.43lbs	<b>Dimmable if installed with appropriate dimmable LED light source(s) suitable for your dimmer circuit.</b>	
<b>Packaging:</b>	Dimensions: L: 10.0in x W: 10.0in x H: 15.8in Weight: 1.54lbs Total weight incl. product: 3.97lbs Number of parcels: 1 Material: Brown cardboard	Works with appropriate lighting control module. Module can be added to delivery on request.	
		<b>EU lighting calculation: <a href="#">click here</a></b>	