



NUURA



BLOSSI WALL
nordic gold / clear

Design: Sofie Refer, 2018



Blossi Wall has a balanced graphic look suitable for domestic and public spaces.

Explore the rest of the **Blossi collection** on our website, [here](#)

Product no.: US - 3025007

Certifications: cETLus

Type: Wall light - indoor

Cleaning: Use a soft dry cloth to clean the product.
Do not use household cleaners.

Colour: Glass: clear / Metal: nordic gold

Electrical: Input voltage: 120 Vac / 60 Hz
Class I
System wattage: 5.9 W
Phase dimmable (mains dimm) with most
LED compatible TRIAC dimmers.
Replaceable LED: Spare part item no.: 1990015
Estimated lifetime: 100.000h (L90)

Materials: Powder-coated metal, mouth-blown glass

Photometric: LED wattage: 5.3 W
Nominal LED efficacy: 174 lm / W
Luminous flux: 920 lm
CCT.: 2700 K
CRI: > 90 Ra
SDCM.: > 3

Dimensions: Ø9.1in x 3.4in

Weight: Armature + glass: 3.75lbs


Packaging: Dimensions: L: 9.8in x W: 10.0in x H: 7.5in
Weight: 1.54lbs
Total weight incl. product: 5.29lbs
Number of parcels: 1
Material: Brown cardboard

NUURA



BLOSSI WALL
nordic gold / opal

Design: Sofie Refer, 2018



Blossi Wall has a balanced graphic look suitable for domestic and public spaces.

Explore the rest of the **Blossi collection** on our website, [here](#)

Product no.: US - 3025008

Certifications: cETLus

Type: Wall light - indoor

Cleaning: Use a soft dry cloth to clean the product.
Do not use household cleaners.

Colour: Glass: opal / Metal: nordic gold

Materials: Powder-coated metal, mouth-blown glass

Electrical: Input voltage: 120 Vac / 60 Hz
Class I
System wattage: 5.9 W
Phase dimmable (mains dimm) with most
LED compatible TRIAC dimmers.
Replaceable LED: Spare part item no.: 1990015
Estimated lifetime: 100.000h (L90)

Dimensions: Ø9.1in x 3.4in

Weight: Armature + glass: 3.75lbs

Packaging: Dimensions: L: 9.8in x W: 10.0in x H: 7.5in
Weight: 1.54lbs
Total weight incl. product: 5.29lbs
Number of parcels: 1
Material: Brown cardboard

Photometric: LED wattage: 5.3 W
Nominal LED efficacy: 174 lm / W
Luminous flux: 920 lm
CCT.: 2700 K
CRI: > 90 Ra
SDCM.: > 3