

Designed by Komplot Design

PRODUCTCOLOURS

Photo coming soon

Photo coming soon

// Black

// Mistletoe Green

Photo coming soon

Photo coming soon

Photo coming soon

// Moon Grey

// Nightfall Blue

Photo coming soon

Photo coming soon

// Rainy Grey

// Shy Cherry

Photo coming soon

Photo coming soon

// White Cloud

// Venetian Gold

Item no.: 21001-32F-XX
+ style codeDESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - HIREK (PP PLASTIC MATERIAL) - FRONT UPHOLSTERED

RAL codes are indicative.

- Black // RAL 9005, silkmatt /
- Venetian Gold // RAL 080 7050 , silkmatt /
- Mistletoe Green // RAL 130 5010, silkmatt /
- Nightfall Blue // RAL 200 7005, silkmatt /
- Rainy Gray // RAL 7031, silkmatt /
- White Cloud // RAL 9001, silkmatt /
- Moon Gray // RAL 085 7010, silkmatt /
- Shy Cherry // RAL 3011, silkmatt /
- Black painted base // RAL 9005, gloss level 10-15
- Chrome base // Mirror chrome

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 3F, GUBI 32F, GUBI 33F**MEASUREMENT - L X W X H MM**

Sitting height: 760 mm
 Seat width: 413 mm
 Seat depth: 422 mm
 Seat height: 157 mm
 Back height: 170 mm
 Frame width: 420 mm
 Frame depth: 430 mm
 Chair height: 880 mm
 Shell thickness: 5 mm
 Frame thickness: Ø11 mm
 Front upholstered: 10 mm
 Footrest height: 200 mm

WEIGHT ITEM**xx kg****PACKAGING TYPE**

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:44 X W:44 X H:80 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 1485 g
- Cardboard extra bottom: 272 g
- Polybag PE: 158 g
- LD-EPE foam protector: 44 g
- Strapping: 7 g

WEIGHT PACKAGING - TOTAL

7,051 kg

NUMBER OF PARCELS

1 pcs.

ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE, CHAIR SUSPENSION FOR TABLES.



44

UPHOLSTERING - W X L

- Fabric (1pcs) : 140 cm x 0,68 m
- Fabric (2pcs) : 140 cm x 0,43 m
- Leather: 0,62 m²

CLEANING AND MAINTENANCE

For cleaning **the upholstered surface**, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of the frame use a soft, dry cloth.

For further cleaning of the frame, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth to wipe the seat. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

Disposal of plastic type PP may be done with incineration of waste.

TESTS

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request

CERTIFICATION AND LABELS

Designed by Komplot Design

PRODUCT**COLOURS**

Photo coming soon

Photo coming soon

// Black

// Mistletoe Green

Photo coming soon

Photo coming soon

Photo coming soon

// Moon Grey

// Nightfall Blue

Photo coming soon

Photo coming soon

// Rainy Grey

// Shy Cherry

// White Cloud

// Venetian Gold

Item no.: 21001-32FA-XX
+ style code**DESCRIPTION**

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - HIReK (PP PLASTIC MATERIAL) - FRONT UPHOLSTERED

RAL codes are indicative.

- Black // RAL 9005, silkmatt /
- Venetian Gold // RAL 080 7050 , silkmatt /
- Mistletoe Green // RAL 130 5010, silkmatt /
- Nightfall Blue // RAL 200 7005, silkmatt /
- Rainy Gray // RAL 7031, silkmatt /
- White Cloud // RAL 9001, silkmatt /
- Moon Gray // RAL 085 7010, silkmatt /
- Shy Cherry // RAL 3011, silkmatt /

- Black painted base // RAL 9005, gloss level 10-15
- Chrome base // Mirror chrome

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 3FA, GUBI 32FA, GUBI 33FA**FACTS****MEASUREMENT - L X W X H MM**

Sitting height: 660 mm
Seat width: 413 mm
Seat depth: 422 mm
Seat height: 157 mm
Back height: 170 mm
Frame width: 390 mm
Frame depth: 390 mm
Chair height: 780 mm
Shell thickness: 5 mm
Frame thickness: Ø11 mm
Front upholstered: 10 mm
Footrest height: 200 mm

WEIGHT ITEM

xx kg

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:44 X W:44 X H:80 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 1485 g
- Cardboard extra bottom: 272 g
- Polybag PE: 158 g
- LD-EPE foam protector: 44 g
- Strapping: 7 g

WEIGHT PACKAGING - TOTAL

7,051 kg

NUMBER OF PARCELS

1 pcs.

ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE, CHAIR SUSPENSION FOR TABLES.

UPHOLSTERING - W X L

- Fabric (1pcs) : 140 cm x 0,68 m
- Fabric (2pcs) : 140 cm x 0,43 m
- Leather: 0,62 m²



44

CLEANING AND MAINTENANCE

For cleaning **the upholstered surface**, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of the frame use a soft, dry cloth.

For further cleaning of the frame, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth to wipe the seat. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

Disposal of plastic type PP may be done with incineration of waste.

TESTS

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request

CERTIFICATION AND LABELS

-