


NUURA



MIIRA 8 CIRCULAR
dark bronze / opal

Design: Sofie Refer, 2020



Miira 8 Circular in mouth-blown opal glass and dark bronze finish incl. ceiling plate.

Explore the rest of the **Miira collection** on our website, [here](#)

Product no.: US - 3032012

Certifications: cETLus

Type: Chandelier - indoor

Suitable for damp locations.

Colour: Glass: opal / Metal: dark bronze

Cleaning: Use a soft dry cloth to clean the product.
Do not use household cleaners.

Materials: Powder-coated metal, mouth-blown glass

Light source: G9 LED
Recomended flux: 480 lumen- dimmable
Max. wattage: 8 x 8.5W LED

Dimensions: Ø39.4in x 9.6in
Glass: Ø7.9in
Cable lenght: max. 106.3in

Electrical: 120Vac / 60Hz
Class I

Weight: Armature + glass: 28.70lbs

Light sources not included.

Packaging: Dimensions: L: 47.2in x W: 31.5in x H: 39.4in
Weight: 22.0lbs
Total weight incl. product: 50.71lbs
Number of parcels: 9
Material: Brown cardboard

Dimmable if installed with appropriate dimmable LED light source(s) suitable for your dimmer circuit.


EU lighting calculation: click [here](#)

NUURA



MIIRA 8 CIRCULAR
rock grey / opal

Design: Sofie Refer, 2021



Miira 8 Circular in mouth-blown opal glass and rock grey finish incl. ceiling plate.

Explore the rest of the **Miira collection** on our website, [here](#)

Product no.: US - 3032010

Certifications: cETLus

Type: Chandelier - indoor

Suitable for damp locations.

Colour: Glass: opal / Metal: rock grey

Cleaning: Use a soft dry cloth to clean the product.
Do not use household cleaners.

Materials: Powder-coated metal, mouth-blown glass

Light source: G9 LED
Recomended flux: 480 lumen- dimmable
Max. wattage: 8 x 8.5W LED

Dimensions: Ø39.4in x 9.6in
Glass: Ø7.9in
Cable lenght: max. 106.3in

Electrical: 120Vac / 60Hz
Class I

Weight: Armature + glass: 28.70lbs

Light sources not included.

Packaging: Dimensions: L: 47.2in x W: 31.5in x H: 39.4in
Weight: 22.0lbs
Total weight incl. product: 50.71lbs
Number of parcels: 9
Material: Brown cardboard

Dimmable if installed with appropriate dimmable LED light source(s) suitable for your dimmer circuit.

EU lighting calculation: click [here](#)